

Page 1/8

Tel.: +49/(0) 6227-877-340

E-Mail: sales@gopooltest.com

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Product name: ph Reagenz

· Catalog number: 424450, 471048, 471049, 471048-GPT

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

GoPoolTest GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.gopooltest.com

Informing department:

e-mail: produktsicherheit@gopooltest.com

Product Safety Department

Contact for technical details:

Technical Department

e-mail: technik@gopooltest.com

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P233 Keep container tightly closed.

· 2.3 Other hazards

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

butan-2-ol

- · 3.2 Mixtures
- · Description: aqueous solution

Dangerous components:

CAS: 78-92-2 EINECS: 201-158-5 Index No: 603-127-00-5

🚸 Flam. Liq. 3, H226; 🕩 Eye Irrit. 2, H319; STOT SE 3, H335-H336

≤2.5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed:

irritations

absorption

after inhalation:

mucosal irritations, cough, shortness of breath

headache

drowsiness

after swallowing of large amounts:

cardiovascular disorders

4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Carbon dioxide (CO₂), Foam, Fire-extinguishing powder
- · For safety reasons unsuitable extinguishing agents

For this substance / mixture no limitations of extinguishing agents are given.

· 5.2 Special hazards arising from the substance or mixture

combustible

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

(Contd. of page 2)

Ensure adequate ventilation

· Advice for emergency responders: Protective equipment: see section 8

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Prevent material from reaching sewage system, holes and cellars.

Damp down gases/fumes/haze with water spray jet.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

· Advice on safe handling:

Use only in well ventilated areas.

Protect from heat.

Keep ignition sources away - Do not smoke.

Take action to prevent static discharges.

· Hygiene measures:

Do not inhale gases / fumes / aerosols.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers:

Store in cool location.

Do not use light alloy containers.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 6°C 10°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 78-92-2 butan-2-ol

WEL (Great Britain) Short-term value: 462 mg/m³, 150 ppm

Long-term value: 308 mg/m³, 100 ppm

- · Regulatory information WEL (Great Britain): EH40/2020
- Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

(Contd. on page 4)

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- · Eye/face protection

Safety glasses

use against the effects of fumes / dust

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Combination filter A-P1
- Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical ar	nd chemical properties
Physical state	Fluid
· Form:	Solution
· Colour:	Red
· Odour:	Like alcohol
· Odour threshold:	Not determine

Odour threshold: Not determined.Melting point/Freezing point: Not determined.

Boiling point or initial boiling point and boiling range 99-102°C (CAS 78-92-2)
 Flammability
 Flammable liquid and vapour.

Explosive properties: Product is not explosive. However, formation of explosive air/steam

mixtures is possible.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

Flash point: 53°C (DIN EN ISO 2719)

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

· pH at 20°C 7.8

· Kinematic viscosity Not determined.

·Solubility

• Water: Fully miscible

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure:

Not determined.

Density and/or relative density

Density at 20°C:
 Relative density:
 Relative gas density
 Not determined.
 Not determined.

· 9.2 Other information

Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none

· Additional information

· Solids content: < 13 %

Solvent content:

· Organic solvents: < 2.5 % · Water: > 85 %

GB -

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

(Contd. of page 4)

SECTION 10: Stability and reactivity

- 10.1 Reactivity Fumes can combine with air to form an explosive mixture.
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with oxidizing agents

Reacts with alkaline metals

Reacts with alkaline earth metals

--> exothermic reaction

- · 10.4 Conditions to avoid Heating.
- · 10.5 Incompatible materials: aluminium
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
CAS: 78-92-2 butan-2-ol			
Oral	LD50	6480 mg/kg (rat) (OECD 401) (Merck)	
Dermal		>2000 mg/kg (rat) (RTECS)	
Inhalative	LC50/4h	48.5 mg/l (rat) (RTECS)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Information on components: CAS 78-92-2: chronic: dermatitis
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 78-92-2 butan-2-ol
OECD 471 (negative)

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other information

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 78-92-2 butan-2-ol

EC50 4227 mg/l/48h (Daphnia magna)

(ECOTOX)

LC50 3670 mg/l/96h (fathhead minnow)

(ECOTOX)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow 1-3 = Not worth-mentioning accumulating in organisms.

CAS: 78-92-2 butan-2-ol

log Pow 0.61 (.) (experimental)

(Merck)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN1120

· 14.2 UN proper shipping name

· ADR 1120 BUTANOLS solution BUTANOLS solution

· 14.3 Transport hazard class(es)

· ADR



Class 3 (F1) Flammable liquids.

(Contd. on page 7)

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

(Contd. of page 6)

· Label 3

· IMDG, IATA



· Class 3 Flammable liquids.

· Label 3

· 14.4 Packing group

· ADR, IMDG, IATA

• 14.5 Environmental hazards: Not applicable.

• 14.6 Special precautions for user Warning: Flammable liquids.

Kemler Number: 30EMS Number: F-E,S-DStowage Category A

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADE

· Limited quantities (LQ) 51

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

Printing date 24.01.2023 Version number 2 Revision: 24.01.2023

Product name: ph Reagenz

(Contd. of page 7)

· Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Information about limitation of use: Not required.
- · National regulations
- · VOC-value EC: 167.8 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Training hints Provide adequate information, instruction and training for operators.

Relevant phrases

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

c.c.: closed cup

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Data arise from safety data sheets, reference works and literature.

RTECS (Registry of Toxic Effects of Chemical Substances)

ECOTOX Database

* Data compared to the previous version altered.